

P.B.5818 – Patentlaan 2 2280 HV Rijswijk (ZH) 2 +31 70 340 2040 TX 31651 epo nl FAX +31 70 340 3016

#### Europäisches Patentamt

Zweigstelle in Den Haag Recherchenabteilung

#### European Patent Office

Branch at The Hague Search division Office européen des brevets

Département à La Haye Division de la

Patentanwälte Dr. Solf & Zapf Candidplatz 15 81543 München ALLEMAGNE

EINGEGANGEN 25. Mär. 2002

Datum/Date	-			
25.03	. 02			

Zeichen/Ref./Réf.

M 5753 EP

Anmeldung Nr./Application No./Demande n°./Patent Nr./Patent No./Brevet n°.

01128062.5-2308-

Anmelder/Applicant/Demandeur/Patentinhaber/Proprietor/Titulaire

Visteon Global Technologies, Inc.

## COMMUNICATION

The European Patent Office herewith transmits as an enclosure the European search report for the above–mentioned European patent application.

If applicable, copies of the documents cited in the European search report are attached.

Additional set(s) of copies of the documents cited in the European search report is (are) enclosed as well.

The following specifications given by the applicant have been approved by the Search Division:

□ abstract

X title

The abstract was modified by the Search Division and the definitive text is attached to this communication.

The following figure will be published together with the abstract:

6

## REFUND OF THE SEARCH FEE

If applicable under Article 10 Rules relating to fees, a separate communication from the Receiving Section on the refund of the search fee will be sent later.





# **EUROPEAN SEARCH REPORT**

Application Number EP 01 12 8062

	DOCUMENTS CONS	DERED TO BE RELEVAN	iT			
Category	Citation of document with of relevant parts	h indication, where appropriate, assages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CI.7)		
A	21 July 1999 (1999	OYOTA MOTOR CO LTD) 9-07-21) 47 - column 3, line 55	; 1,6,13,	B65D88/54 B29C65/02 B29C65/56 B60K15/03		
A	10 December 1996 (	GHIDA TSUTOMU ET AL) 1996-12-10) - line 23; figures 1	,2 1,6,13,			
1	EP 1 031 725 A (WA 30 August 2000 (20 * figure 14 *		1,6,13, 17			
4	US 6 189 716 B1 (L 20 February 2001 ( * the whole docume	AWRUKOVICH ET AL.) 2001-02-20) nt *	1,13,17			
1	(NL)) 25 September	ILEVER PLC ;UNILEVER N 1991 (1991-09-25) - line 36; figure 4 * 		TECHNICAL FIELDS SEARCHED (Int.CI.7) B29C B60K B65D F02M		
	The present search report has	been drawn up for all claims				
<del></del>	Place of search	Date of completion of the search		Examiner		
	HE HAGUE	8 March 2002	Торр	Topp, S		
X : particu Y : particu docum A : techno O : non-w	EGORY OF CITED DOCUMENTS plarly relevant if taken alone tarly relevant if combined with anot ent of the same category plogical background written disclosure ediate document	E : earlier patent after the filing ther D : document cit L : document cite	ed in the application ed for other reasons	hed on, or		

EPO FORM 1503 03.82 (P04C01)

2

### ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 01 12 8062

This annex lists the patent family members relating to the patent documents cited in the above–mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

08-03-2002

Patent docume cited in search re		Publication date		Patent family member(s)	Publication date
EP 0930190	A	21-07-1999	JP EP	11198665 A 0930190 A2	27-07-1999 21-07-1999
US 5582729	Α	10-12-1996	JP JP GB	3106252 B2 4262923 A 2253160 A ,B	06-11-2000 18-09-1992 02-09-1992
EP 1031725	Α	30-08-2000	EP JP US	1031725 A2 2000249011 A 6302144 B1	30-08-2000 12-09-2000 16-10-2001
US 6189716	B1	20-02-2001	NONE	*	
EP 0448329	A	25-09-1991	CA DE DE EP ES	2038443 A1 69110072 D1 69110072 T2 0448329 A1 2073120 T3	20-09-1991 06-07-1995 19-10-1995 25-09-1991 01-08-1995



### ABSTRACT / ZUSAMMENFASSUNG / ABREGE

01128062.5

Low permeation fittings and low permeation plastic containers using same are constructed by molding an outer component (20) into the wall of a plastic container while it is being formed. This causes the opening of a passageway in the outer component to be covered with wall forming material (48). The inner component (40) is then inserted into the outer component through the wall forming material thereby trapping the wall material between the internal and external components. The barrier layer (51) of the container wall is therefore continuous from the container to inside the fitting. A new fuel container, fuel neck fitting, and flange for mounting components on a fuel tank are disclosed.